CIM-TEK® FILTRATION

GET MORE OUT OF YOUR FUEL®

A Registered ISO 9001:2008 Company

PEI™ MEMBER

A Registered ISO 9001:2008 Company

Central Illinois Manufacturing Company
201 N. Champaign St., Bement, IL 61813
Customer Service Hotline: 844-447-7663 | Ph: 217-693-6555 |
Customer Service Fax: 217-693-6673 | Main Fax: 217-693-6672

PEI MEMBER

PETROLEUM PRIORITY CLUB PEI EQUIPMENT INSTITUTE

Printed in the U.S.A.

Copyright ©2013 Central Illinois Manufacturing Company
Specifications and data herein are subject to change without notice and/or obligation.
Hydrosorb, CIM-TEK, BIO-TEK, GET MORE OUT OF YOUR FUEL and Hydroburn PSR are registered trademarks of Central Illinois Manufacturing Company |
Viton is a registered trademark of DuPont Performance Elastomers L.L.C. |
PEI and Priority Club are registered trademarks of Petroleum Equipment Institute |
UL is a registered trademark of Underwriters Laboratories, LLC

MEDIADEFINITIONS

CELLULOSE

Cellulose is a plant-based fiber. It is a natural material and its fiber can vary in size and shape. Cellulose is a low-void filter media that is not suitable for fine filtration.

HYDROSORB®

Hydrosorb® is our original, patented technology for water and particulate removal. Hydrosorb® is a microglass and cellulose laminated media impregnated with a super-absorbent. Water is absorbed as the fuel passes through the filter, causing flow restriction.

ALCOHOL MONITOR

Utilizing state-of-the-art microglass media the Alcohol Monitor is designed to detect phase separation and remove particulates in ethanol blended fuels up to E15.

MICROGLASS

Microglass is a high-performance filter media with a high void area. It is used for finer filtration and has 2-3 times the dirt-holding capacity over cellulose media.

HYDROGLASS

Hydroglass is a combination of Microglass media and a super-absorbent polymer that provides water and particulate removal in one filter.

WIRE MESH

Wire Mesh media is designed to remove larger contaminates that can quickly reduce performance and cause downtime.

200 & 250 Series

CELLULOSE FILTERS WITH AND WITHOUT DRAIN

Applications

- For use with gasoline, diesel, biodiesel blends up to B20, or ultra-low sulfur diesel (ULSD)
- For use on:
    - Aboveground storage tanks
    - Transfer tanks
    - Day-use tanks
- Gravity flow applications, transfer pumps & fuel dispensers

Benefits & Design Features

- Up to 25 gpm (94.6 lpm) maximum flow
- 50 psi (3.4 bar) maximum working pressure
- Various micron media(s) available
- Pre-Lubed gaskets
- Removes common contaminants such as dirt, dust, and rust
- Drain for easy water removal

200E Series
3¾" x 8" x 1"-12 Thread

200AE Series
3¾" x 8" x 1⅜"-12 Thread

250E Series
3¾" x 7¼" x 1"-12 Thread

250AE Series
3¾" x 7¼" x 1⅜"-12 Thread

NOT FOR AVIATION USE

200 & 250 Series

CELLULOSE FILTERS WITH AND WITHOUT DRAIN

Cellulose with Drain

Part #	Model #	Micron	Function	Fuel
70002	200E-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70046	200E-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70004	200AE-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70045	200AE-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

Cellulose without Drain

Part #	Model #	Micron	Function	Fuel
70819	250E-02	2	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70003	250E-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70821	250AE-02	2	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70005	250AE-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

Mounting Adaptors

Part #	Material	Fuel Ports	Thread	Use With
50003	Cast Iron	¾” NPT	1”-12	200E & 250E
50002	Cast Iron	1” NPT	1”-12	200E & 250E
50004	Cast Iron	1” NPT	1⅜”-12	200AE & 250AE
50181	Aluminum	¾” NPT	1”-12	200E & 250E

Replacement Gaskets

Part #	Description
90025	Buna-N Pre-Lubed Gasket

260 Series
EXTENDED LIFE-FILTERS

Applications

- Cellulose and Hydrosorb® filters are for use with gasoline, diesel, biodiesel blends up to B20, or ultra-low sulfur diesel (ULSD)
- Microglass and Hydroglass filters are for use with biodiesel blends up to B100 (BMG & BHG)
- For use on:
    - Aboveground storage tanks
    - Transfer tanks
    - Day-use tanks
- Gravity flow applications, transfer pumps & fuel dispensers

Benefits & Design Features

- Up to 25 gpm (94.6 lpm) maximum flow
- 50 psi (3.4 bar) maximum working pressure
- Various micron media(s) available
- Filters are UL® recognized for use in fuel dispensers
- Pre-Lubed gaskets
- Microglass filters have a higher dirt-holding capacity for longer life
- Hydroglass filters have the same dirt-holding capabilities as Microglass filters plus the water absorbing properties of our Hydrosorb® filters

260, 260HS, 260BHG & 260BMG Series
3¾" x 8⅝" x 1"-12 Thread

260AHS & 260ABMG Series
3¾" x 8⅝" x 1⅜"-12 Thread

NOT FOR AVIATION USE

260 Series
EXTENDED-LIFE FILTERS

Cellulose

Part #	Model #	Micron	Function	Fuel
70094	260-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70095	260-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

Hydrosorb®

Part #	Model #	Micron	Function	Fuel
70062	260HS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70067	260HS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70061	260AHS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70066	260AHS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD

Microglass & Hydroglass

Part #	Model #	Micron	Function	Fuel
70230	260BMG-02	2	Microglass; Particulate Removal	Same as above plus B100
70234	260BMG-10	10	Microglass; Particulate Removal	Same as above plus B100
70221	260ABMG-02	2	Microglass; Particulate Removal	Same as above plus B100
70225	260ABMG-10	10	Microglass; Particulate Removal	Same as above plus B100
70232	260BHG-02	2	Hydroglass; Particulate Removal and Water Absorption	Same as above plus B100
70236	260BHG-10	10	Hydroglass; Particulate Removal and Water Absorption	Same as above plus B100

Mounting Adaptors

Part #	Material	Fuel Ports	Thread	Use With
50002	Cast Iron	1” NPT	1”-12	260, 260HS, 260BHG & 260BMG
50003	Cast Iron	¾” NPT	1”-12	260, 260HS, 260BHG & 260BMG
50004	Cast Iron	1” NPT	1⅜”-12	260AHS & 260ABMG
50181	Aluminum	¾” NPT	1”-12	260, 260HS, 260BHG & 260BMG

Replacement Gaskets

Part #	Description
90025	Buna-N Pre-Lubed Gasket

300 Series
DISPENSER FILTERS

Applications

- Designed for fuel dispensers & commercial fueling pumps
- Cellulose and Hydrosorb® filters are for use with gasoline, diesel, biodiesel, or ultra-low sulfur diesel (ULSD)
- Alcohol Monitors for ethanol blends up to E15 (MB)
- Microglass filters for biodiesel blends up to B100 (BMG)
- High-Alcohol Content filters are for E85 (BHA)

Benefits & Design Features

- Up to 25 gpm (94.6 lpm) maximum flow
- 50 psi (3.4 bar) maximum working pressure
- Various micron media(s) available
- Microglass filters have a higher dirt-holding capacity for longer life
- Filters are UL® recognized for use in fuel dispensers
- Pre-Lubed gaskets on all 300 series filters *EXCEPT* High Alcohol Content (BHA) filters, which use Viton® gaskets

3¾” x 5½” 1”-12 Thread

300 Series
DISPENSER FILTERS

Cellulose

Part #	Model #	Micron	Function	Fuel
70806	300-02	2	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70010	300-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70012	300-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

Hydrosorb®

Part #	Model #	Micron	Function	Fuel
70059	300HS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70064	300HS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD

Microglass

Part #	Model #	Micron	Function	Fuel
70057	300BMG-02	2	Microglass; Particulate Removal	Same as above plus B100
70058	300BMG-10	10	Microglass; Particulate Removal	Same as above plus B100
70025	300BHA-01	1	Microglass; Particulate Removal High-Alcohol Content	E85 & B100
70122	300MB-10	10	Detects Phase Separation◊	Ethanol Blends Up to E15
70018	300MB-30	30	Detects Phase Separation◊	Ethanol Blends Up to E15

◊ ONLY MB STYLE FILTERS DETECT PHASE SEPARATION

Mounting Adaptors

Part #	Material	Fuel Ports	Thread
50003	Cast Iron	¾” NPT	1”-12
50002	Cast Iron	1” NPT	1”-12
50181	Aluminum	¾” NPT	1”-12
50017N	Nickel Plated	¾” NPT	1”-12

Replacement Gaskets

Part #	Description
90025	Buna-N Pre-Lubed Gasket
90037	Viton® Gasket used on 300BHA

400 Series
DISPENSER FILTERS

Applications

- Designed for fuel dispensers & commercial fueling pumps
- Cellulose and Hydrosorb® filters are for use with gasoline, diesel, biodiesel, or ultra-low sulfur diesel (ULSD)
- Alcohol Monitors for ethanol blends up to E15 (MB)
- Microglass filters for biodiesel blends up to B100 (BMG)
- High-Alcohol Content filters are for E85 (BHA)

Benefits & Design Features

- Up to 25 gpm (94.6 lpm) maximum flow
- 50 psi (3.4 bar) maximum working pressure
- Various micron media(s) available
- Microglass filters have a higher dirt-holding capacity for longer life
- Filters are UL® recognized for use in fuel dispensers
- Pre-Lubed gaskets on all 400 series filters *EXCEPT* High Alcohol Content (BHA) filters, which use Viton® gaskets

3¾" x 5½" x 1½"-16 Thread

NOT FOR AVIATION USE

400 Series
DISPENSER FILTERS

Cellulose

Part #	Model #	Micron	Function	Fuel
70808	400-02	2	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70015	400-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70016	400-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

Hydrosorb®

Part #	Model #	Micron	Function	Fuel
70060	400HS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70065	400HS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD

Microglass

Part #	Model #	Micron	Function	Fuel
70105	400BMG-02	2	Microglass; Particulate Removal	Same as above plus B100
70104	400BMG-10	10	Microglass; Particulate Removal	Same as above plus B100
70039	400BHA-01	1	Microglass; Particulate Removal High-Alcohol Content	E85 & B100
70991	400BHA-05	5	Microglass; Particulate Removal High-Alcohol Content	E85 & B100
70120	400MB-10	10	Detects Phase Separation◊	Ethanol Blends Up to E15
70106	400MB-30	30	Detects Phase Separation◊	Ethanol Blends Up to E15

◊ ONLY MB STYLE FILTERS DETECT PHASE SEPARATION

Mounting Adaptors

Part #	Material	Fuel Ports	Thread
50032	Aluminum	1” NPT	1½”-16
50032N	Nickel-Plated Aluminum	1” NPT	1½”-16
50343	Cast Iron	1” NPT	1½”-16

Replacement Gaskets

Part #	Description
90036	Buna-N Pre-Lubed Gasket
90115	Viton® Gasket used on 400BHA

450 & 475 Series

8" & 10½" EXTENDED-LENGTH FILTERS

Applications

- Designed for fuel dispensers & commercial fueling pumps
- Cellulose and Hydrosorb® filters are for use with gasoline, diesel, biodiesel, or ultra-low sulfur diesel (ULSD)
- Alcohol Monitors for ethanol blends up to E15 (MB)
- Microglass filters for biodiesel blends up to B100 (BMG)

Benefits & Design Features

- Up to 25 gpm (94.6 lpm) maximum flow
- 50 psi (3.4 bar) maximum working pressure
- Various micron media(s) available
- Microglass filters have a higher dirt-holding capacity for longer life
- Filters are UL® recognized for use in fuel dispensers
- Pre-Lubed gaskets

450 Series
3¾" x 8" x 1½"-16 Thread

475 Series
3¾" x 10½" x 1½"-16 Thread

NOT FOR AVIATION USE

450 & 475 Series

8" & 10½" EXTENDED-LENGTH FILTERS

Cellulose

Part #	Model #	Micron	Function	Fuel
70034	450-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70027	450-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70097	475XL-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70092	475XL-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

Hydrosorb®

Part #	Model #	Micron	Function	Fuel
70075	450HS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70076	450HS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70098	475XLHS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70043	475XLHS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD

Microglass

Part #	Model #	Micron	Function	Fuel
70032	450MG-10	10	Microglass; Particulate Removal	Same as above plus B100
70111	475XLMB-10	10	Detects Phase Separation◊	Ethanol Blends Up to E15

◊ ONLY MB STYLE FILTERS DETECT PHASE SEPARATION

Mounting Adaptors

Part #	Material	Fuel Ports	Thread
50032	Aluminum	1" NPT	1½"-16
50343	Cast Iron	1" NPT	1½"-16

Replacement Gasket

Part #	Description
90036	Buna-N Pre-Lubed Gasket

800 Series
HIGH FLOW FILTERS

Applications

- Cellulose and Hydrosorb® filters are for use with gasoline, diesel, biodiesel, or ultra-low sulfur diesel (ULSD)
- Microglass and Hydroglass filters for biodiesel blends up to B100 (BMG & BHG)
- Designed for fuel dispensers & commercial fueling pumps
- Commercial, high flow, and fuel polishing applications
- High-Alcohol Content filters are for E85 (BHA)

Benefits & Design Features

- Up to 40 gpm (151 lpm) maximum flow
- 50 psi (3.4 bar) maximum working pressure
- Various micron media(s) available
- Pre-Lubed gaskets on all 800 series filters *EXCEPT* High Alcohol Content (BHA) filters, which use Viton® gaskets

5” x 11” x 1½”-16 Thread

NOT FOR AVIATION USE

800 Series
HIGH FLOW FILTERS

Cellulose

Part #	Model #	Micron	Function	Fuel
70814	800-02	2	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70019	800-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70020	800-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

Hydrosorb®

Part #	Model #	Micron	Function	Fuel
70063	800HS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70068	800HS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD

Microglass and Hydroglass

Part #	Model #	Micron	Function	Fuel
70036	800BMG-02	2	Microglass; Particulate Removal	Same as above plus B100
70028	800BMG-10	10	Microglass; Particulate Removal	Same as above plus B100
70037	800BHG-02	2	Hydroglass; Particulate Removal and Water Absorption	Same as above plus B100
70024	800BHG-10	10	Hydroglass; Particulate Removal and Water Absorption	Same as above plus B100
70041	800BHA-01	1	Microglass; Particulate Removal High Alcohol Content	E85

Mounting Adaptors

Part #	Material	Description	Fuel Ports	Thread
50026	Aluminum	Single Adaptor w/ gauge ports	1” NPT	1½”-16
50109	Aluminum	Single Adaptor	1” NPT	1½”-16
50027	Aluminum	Single Adaptor w/ gauge ports	1½” NPT	1½”-16
50163	Aluminum	Single Adaptor	1½” NPT	1½”-16
50163N	Nickel-Plated Aluminum	Single Adaptor	1½” NPT	1½”-16
50011	Aluminum	Dual Adaptor	2” NPT	1½”-16
50028	Aluminum	Dual Adaptor w/gauge ports	2” NPT	1½”-16

Replacement Gaskets

Part #	Description
90041	Buna-N Pre-Lubed Gasket
90039	Viton® Gasket used on 800BHA

Mounting Adaptors

50003

Material: Cast Iron
For Use with: 200E, 250E, 260, & 300 Series

Inlet/Outlet: ¾” NPT
Thread: 1”-12

50181

Material: Aluminum
For Use with: 200E, 250E, 260, & 300 Series

Inlet/Outlet: ¾” NPT
Thread: 1”-12

50002

Material: Cast Iron
For Use with: 200E, 250E, 260, & 300 Series

Inlet/Outlet: 1” NPT
Thread: 1”-12

50017N

Material: Nickel-plated Cast Iron
For Use with: 300 BHA-01

Inlet/Outlet: ¾” NPT
Thread: 1”-12

50016N

Material: Nickel-plated Cast Iron
For Use with: 300 BHA-01

Inlet/Outlet: 1” NPT
Thread: 1”-12

50004

Material: Cast Iron
For Use with: 200AE, 250AE, & 260A Series

Inlet/Outlet: 1” NPT
Thread: 1⅜”-12

50343

Material: Cast Iron
For Use with: 400, 450, & 475 Series

Inlet/Outlet: 1” NPT
Thread: 1½”-16

50032

Material: Aluminum
For Use with: 400, 450, & 475 Series

Inlet/Outlet: 1” NPT
Thread: 1½”-16
UL® recognized

NOTFORAVIATIONUSE

Mounting Adaptors

50032N

Material: Nickel-plated Aluminum
For Use with: 400BHA

Inlet/Outlet: 1” NPT
Thread: 1½”-16
UL® recognized

50026
w/ gauge ports

Material: Aluminum
For Use with: 800 Series

Inlet/Outlet: 1” NPT
Thread: 1½”-16
UL® recognized

50109

Material: Aluminum
For Use with: 800 Series

Inlet/Outlet: 1” NPT
Thread: 1½”-16
UL® recognized

50027
w/ gauge ports

Material: Aluminum
For Use with: 800 Series

Inlet/Outlet: 1½” NPT
Thread: 1½”-16
UL® recognized

50163

Material: Aluminum
For Use with: 800 Series

Inlet/Outlet: 1½” NPT
Thread: 1½”-16
UL® recognized

50163N

Material: Nickel plated Aluminum
For Use with: 800BHA-01

Inlet/Outlet: 1½” NPT
Thread: 1½”-16

50011
Dual Adaptor

Material: Aluminium
For Use with: 800 Series

Inlet/Outlet: 2” NPT
Thread: 1½”-16
UL® recognized

50028
Dual Adaptor w/ gauge ports

Material: Aluminum
For Use with: 800 Series

Inlet/Outlet: 2” NPT
Thread: 1½”-16
UL® recognized

Centurions

COMMERCIAL FILTERING

Part #	Model	In/Out	GPM	# of Elements
40001	Centurion Single	1” NPT	30	1
40013	Centurion Double	1½” NPT	60	2
40020	Centurion Triple	2” NPT	90	3

Applications:

- **Designed for high-volume applications**
- **Housings and replacement elements are compatible with gasoline, diesel, ethanol blends up to 15%, biodiesel up to B20, and ultra-low sulfur diesel (ULSD)**

Features:

- **Up to 90 gpm / 340 lpm maximum flow**
- **Elements available in 2, 10 and 30 micron cellulose for particulate removal**
- **Elements available in 10 and 30 micron Hydrosorb® for water detection and particulate removal**
- **Drain for easy water removal**
- **Parallel flow**

Benefits:

- **Extended equipment life**
- **Assures delivery of quality fuel**
- **Cleaner change-out with drain design**
- **Eco-friendly reusable housing**

Centurion Elements

30065 | E02	Cellulose Element	| 2 Micron
30002 | E10	Cellulose Element	| 10 Micron
30004 | E30	Cellulose Element	| 30 Micron
30195 | E-10M	Microglass Element	| 10 Micron
30033 | EHS-10	Hydrosorb® Element	| 10 Micron
30036 | EHS-30	Hydrosorb® Element	| 30 Micron

NOT FOR AVIATION USE

Vikings
BULK FILTERING

Part #	Model	In/Out	Diameter	Length	GPM	# of Elements
40186	Viking 1	2” NPT	12”	32½”	120	1
40187	Viking 1F	Flanged	12”	32½”	120	1
40188	Viking 2	2” NPT	12”	50½”	150	2
40189	Viking 2F	Flanged	12”	50½”	150	2
40190	Viking 3F	Flanged	24”	59¼”	300	4
40191	Viking 4F	Flanged	28”	78½”	500	8

Applications:

- **Designed for bulk fluid transfer and fueling rack filtration**
- **Housings and replacement elements are compatible with gasoline, ethanol blends up to E15, biodiesel blends up to B100, diesel fuel, ultra-low sulfur diesel (ULSD), and fuel oils**
- **Able to filter industrial fluids such as lubrication, hydraulic, synthetic oils, many solvents and thinners**

Features:

- **Up to 500 gpm / 1892.7 lpm maximum flow**
- **150 psi rating**
- **Epoxy coating inside and out**
- **Carbon steel housing**
- **Gauge ports standard**

Benefits:

- **Removes common contaminants such as dirt, dust, and rust**
- **Increased filtering capacity**
- **Easy opening and access with swing lid**

6” x 18” Elements

30066 | E-1300-02	Cellulose Element	| 2 Micron
30008 | E-1300-10	Cellulose Element	| 10 Micron
30009 | E-1300-30	Cellulose Element	| 30 Micron
30204 | E-1300MG-03	Microglass Element	| 3 Micron
30203 | E-1300MG-05	Microglass Element	| 5 Micron
30202 | E-1300MG-10	Microglass Element	| 10 Micron
30034 | E-1300HS-10	Hydrosorb® Element	| 10 Micron
30037 | E-1300HS-30	Hydrosorb® Element	| 30 Micron
30210 | E-1300WM-144	Wire Mesh Element	| 144 Micron

NOT FOR AVIATION USE

Accessories

HYDROBURN PSR®

60069 Hydroburn PSR® Fuel Treatment | 55 Gallon Drum

Applications:

- **For use with underground & aboveground storage tanks (UST & AST)**
- **Compatible with ethanol-blended gasoline only**

Benefits:

- **Reverses phase separation in ethanol-blended fuel up to E15 (US Patent No. 8,439,984 B2)**

Tank Sampler Kit

Part #	Description
60035	Tank Sampler Kit
90030	Carrying Case
90218	Shatterproof Jar
90220	Jar Lid

Tank Dryer

Part #	Description
60038	For absorbing water in fuel; for use in saddle tanks, transfer tanks, and aboveground storage tanks

Pressure Gauges

Part #	Description
90601	Differential Pressure Gauge Kit, Viking 1, 1F, 2, 2F, 3F
90602	Differential Pressure Gauge Kit, Viking 4F
90603	Pressure Gauge Kit (2), Viking 1, 1F, 2, 2F, 3F, 4F

Accessories

Filter Cups

Part #	Description
60070	For Changing 4” Diameter Filters
60072	For Changing 5” Diameter Filters

Pre-Vent

Part #	Description
60001	Cast-Iron Base with a Plated Cap
60002	Cast-Iron Base, Plated Cap, with Anti-Theft Security Arm
60003	Replacement Plated Cap

Replacement Gaskets

Part #	Description
90025	Buna-N Pre-Lubed Gasket used on 200, 250, 260, & 300 Series
90036	Buna-N Pre-Lubed Gasket used on 400 & 450 Series
90041	Buna-N Pre-Lubed Gasket used on 800 Series
90037	Viton® Gasket used on 300BHA Series
90115	Viton® Gasket used on 400BHA Series
90039	Viton® Gasket used on 800BHA Series

Part #	Description
90560	Viking 1 & 2 Buna-N Main Seal, Standard, Prior to June 2013
90561	Viking 3 & 4 Buna-N Main Seal, Standard, Prior to June 2013
90599	Viking 1 & 2 Viton® Main Seal, Optional, Prior to June 2013
90600	Viking 3 & 4 Viton® Main Seal, Optional, Prior to June 2013
90703	Viking 3 & 4 Buna-N Main Seal, Standard, After June 2013
90704	Viking 3 & 4 Viton® Main Seal, Optional, After June 2013

Part No	Model	Page
30001	500B-30	CALL
30002	E10	16
30004	E30	16
30008	E-1300-10	17
30009	E-1300-30	17
30033	EHS-10	16
30034	E-1300HS-10	17
30036	EHS-30	16
30037	E-1300HS-30	17
30055	Facet Repl	CALL
30065	E02	16
30066	E-1300-02	17
30195	E10M	16
30202	E-1300MG-10	17
30203	E-1300MG-07	17
30204	E-1300MG-03	17
30210	E1300WM-144	17
31011	1um DEF	CALL
31015	5um DEF	CALL
40001	Centurion Sgl	16
40013	Centurion Dbl	16
40020	Centurion Tpl	16
40186	Viking 1	17
40187	Viking 1F	17
40188	Viking 2	17
40189	Viking 2F	17
40190	Viking 3F	17
40191	Viking 4F	17
41060	Def-Tek Hsg	CALL
50001	200C	CALL
50002	200H-1	14
50003	200H-¾	14
50004	200AH	14
50011	820	15
50016N	200H-1 Nickel	14
50017N	200H-¾ Nickel	14
50032N	400 Nickel	15
50163N	810N	15
50026	805 w/ports	15
50027	810 w/ports	15
50028	820 w/ports	15
50032	400 Series	14
50109	805 (5” Diam)	15
50136	40-B	CALL

Part No	Model	Page
50163	810	15
50181		14
50343	400 series	14
60001	Prevent/base	19
60002	Prevent/lock	19
60003	Prevent cap	19
60035	Tank Sampler	18
60038	Tank Dryer	18
60061	Hydroburn G	CALL
60062	Hydroburn G	CALL
60063	Hydroburn G	CALL
60065	Hydroburn D	CALL
60066	Hydroburn D	CALL
60067	Hydroburn D	CALL
60069	Hydroburn PSR	18
60070	Filter Cup	19
60072	Filter Cup, Lg	19
70002	200E-10	3
70003	250E-10	3
70004	200AE-10	3
70005	250AE-10	3
70010	300-10	7
70012	300-30	7
70015	400-10	9
70016	400-30	9
70018	300MB-30	7
70019	800-10	13
70020	800-30	13
70024	800BHG-10	13
70025	300BHA-01	7
70027	450-30	11
70028	800BMG-10	13
70032	450MG-10	11
70034	450-10	11
70036	800BMG-02	13
70037	800BHG-02	13
70039	400BHA-01	9
70041	800BHA-01	13
70043	475XLHS-30	11
70045	200AE-30	3
70046	200E-30	3
70057	300BMG-02	7
70058	300BMG-10	7
70059	300HS-10	7

Part No	Model	Page
70060	400HS-10	9
70061	260AHS-10	5
70062	260HS-10	5
70063	800HS-10	13
70064	300HS-30	7
70065	400HS-30	9
70066	260AHS-30	5
70067	260HS-30	5
70068	800HS-30	13
70075	450HS-10	11
70076	450HS-30	11
70077	300-MESH	CALL
70080	800-MESH	CALL
70082	300-Empty	CALL
70084	800-EMPTY	CALL
70090	400-Empty	CALL
70092	475XL-30	11
70094	260-10	5
70095	260-30	5
70097	475XL-10	11
70098	475XLHS-10	11
70104	400BMG-10	9
70105	400BMG-02	9
70106	400MB-30	9
70111	475XLMB-10	11
70120	400MB-10	9
70122	300MB-10	7
70221	260ABMG-02	5
70225	260ABMG-10	5
70230	260BMG-02	5
70232	260BHG-02	5
70234	260BMG-10	5
70236	260BHG-10	5
70806	300-02	7
70808	400-02	9
70814	800-02	13
70819	250E-02	3
70821	250AE-02	3
70991	400BHA-05	9
90165	Ethanol Tester	CALL
90601	DP-V1	18
90602	DP-V4	18
90603	PG-1234	18

Central Illinois Manufacturing Company
201 N. Champaign St., Bement, IL 61813
Customer Service Hotline: 844-447-7663 | Ph: 217-693-6555 |
Customer Service Fax: 217-693-6673 | Main Fax: 217-693-6672

Rev. 091916