



## **Climate-Controlled Gemrik DEF Shelter from Fluidall for the Bulk Storage & Dispense of Diesel Exhaust Fluid**



**World-Class Fluid Storage & Handling Solutions**

[www.fluidall.com](http://www.fluidall.com) | 800.849.0591



PROUDLY CRAFTED IN THE USA

ASSOCIATIONS & MEMBERSHIPS



# Gemrik DEF Shelter Features & Construction

## Features

- Sealed Closed Loop Micro-Matic Dispense and Fill System
- Self-Priming Graco DEF Pump
- Graco Digital Meter
- Stainless Steel Automatic Shut-Off Dispense Nozzle
- 33' Hose Reel
- All Fill & Dispense Components are Connected & Ready to Fill & Dispense
- Optional IBC Totes
- Optional Pulse Meter

## Construction

- CNC Precision Cut Powder Coated Aluminum
- Stainless Steel Rivets and Fastening Components
- Fully Assembled for E-Z Installation & Set-Up
- 4" Side Accessible Forklift Base Frame
- Solid Floor
- Gas Shock Assisted Side Access Door(s)
- Large Lockable Dispense Equipment Access Door
- Unit Anchoring Points
- 4 GFCI-15A Dual Duplex Interior Electrical Receptacles
- Manual Shut-Off to Interior Electrical Receptacle Box
- Single Phase, 115V Exterior Junction Box
- Heater With Thermostat
- Insulated Top & Walls





# DEF Shelter Specifications

**Store & Dispense Bulk Diesel Exhaust Fluid within a Climate-Controlled Fuel-Island Friendly Footprint**



## Tote-Ready DEF Shelters

Includes: Fully Insulated with Heat, Solid Floor, Forklift Accessible Base, Pump Equipment with Hose Reel and Auto Nozzle, Hard Wired.

Part No.	Fully Insulated	Dispense Pkg.	Capacity	Dimensions	Height
DEFGR330	Insulated Sides and Ceiling. Heater and Thermostat Included.	Pump, Nozzle, Hose Reel and Meter Included.	1 Tote (NOT Included)	48"W x 76.75"D	76.375"H
DEFGR660			2 Totes (NOT Included)	48"W x 132"D	76.375"H
DEFGR990			2 Totes (NOT Included)	48"W x 187.5"D	76.375"H

## DEF Shelters with Inner IBCs Included

Includes: Fully Insulated with Heat, Solid Floor, Forklift Accessible Base, IBC's with Couplers, Pump Equipment with Hose Reel and Auto Nozzle, Hard Wired.

Part No.	Fully Insulated	Dispense Pkg.	Capacity	Dimensions	Height
DEFGR330TI	Insulated Sides and Ceiling. Heater and Thermostat Included.	Pump, Nozzle, Hose Reel and Meter Included.	330 Gallons	48"W x 76.75"D	76.375"H
DEFGR660TI			660 Gallons	48"W x 132"D	76.375"H
DEFGR990TI			990 Gallons	48"W x 187.5"D	76.375"H



# BLUE SHIELD 5-YEAR LIMITED WARRANTY

## GENERAL CONDITIONS

**Delivery & Receipt** All Gemrik enclosures are shipped on an oversized industrial pallet and packaged in clear plastic wrap. The units' exterior can be easily viewed and inspected. If there is any physical damage to the shipping wrap, pallet, or unit, this must be noted on the BOL (Bill of Lading) upon receipt, and prior to the driver leaving. Each unit is polished prior to wrapping for shipment and includes a Packing Slip, a Quality Control Check List and unit S/N. Supporting digital pictures of any noted delivery damage must be captured at the time of receipt. All "ready to ship units" are photo documented prior to shipping.

**Installation** While installation is a simple process, the end user needs to ensure that the unit is placed on a flat, smooth, improved surface and that all doors, and hinges are functioning and aligning properly prior to adding DEF (Diesel Exhaust Fluid) to the tank, or tanks, inside the unit. If the surface is uneven, the weight of the DEF could cause the unit to seek the surface "highs", or "lows". During the initial DEF filling, make precautionary checks to insure the side door/s remain comfortably functional. If any side door/s appear to bind, cease filling and shim the base accordingly. This caution should be taken especially when installing the 990 gallon units because of the units' length, and the weight of the DEF. Proper installation is a simple, but important process. The **BLUE SHIELD 5-YEAR LIMITED WARRANTY** applies to the initial installation site only, and not re-located units.

**Reasonable Care and Periodic Maintenance** Reasonable care and periodic maintenance must be exercised by the end user for warranty enforcement. Gemrik expects the end user to perform routine "Reasonable Care and Periodic Maintenance" to the warranted enclosure and report any covered item failures upon discovery to minimize any further damage/failure. Items that fall under "Reasonable Care and Periodic Maintenance" should include, but not limited to; routine visual inspections, general cleanliness of the unit, and proper lubricating of latches or hinges. DEF spills or splashes on enclosure surfaces should be cleaned routinely. Immediate reporting of covered failures is paramount for warranty support. Any end user damage caused by accident or intent is not covered under this or any other warranty either expressed or implied.

We recognize that your satisfaction is our future. We have made every reasonable effort to ensure that our enclosure/s meet/s or exceed/s your expectations, and ours. Gemrik warrants our series of enclosures to be FREE OF MANUFACTURER'S DEFECTS upon receipt. Each unit includes our **BLUE SHIELD 5-YEAR LIMITED WARRANTY** as detailed below:

**Structure-Powder Coating-Vertical Assembly Joints** The most important component is the unit in general, and under the **BLUE SHIELD 5-YEAR LIMITED WARRANTY**, Gemrik will, at its own reasonable expense, repair, or replace (at our discretion & method) any failure of the exterior powder coated surface, or vertical assembly joints including stainless steel rivets for FIVE-YEARS from date of receipt.

**Locking Handles-Side Door & Dispensing Door Hinges** Additionally, at its own reasonable expense, under the **BLUE SHIELD 5-YEAR LIMITED WARRANTY** Gemrik will repair, or replace (at our discretion & method) any failure of the locking handles on the side door/s and/or dispensing door for FIVE YEARS from date of receipt. The customer will be responsible for the removal and installation of any Gemrik supplied failed replacement parts.

## OTHER COMPONENTS & CONDITIONS

**Third Party Options & Accessories** Third Party Ordered Options & Accessories such as, heaters, pumps, nozzles, meters, hose reels, etc. will be covered by their individual third party limited warranties, however, Gemrik will work with the customer to ensure that any warranty issues on ordered options are handled in a timely manner and will support the customer in getting any warranty items replaced and/or resolved as quickly as possible.

**Customer Initiated Damage-Acts of God-Acts of Terrorism** In the event of any product damage caused by Customer Initiated Damage-Acts of God or Acts of Terrorism, Gemrik will, at the customer's expense, but with priority, offer for purchase any user damaged items if applicable. The customer will be responsible for the replacement part installation, as well as any applicable taxes and shipping charges.

**Disclaimer** Gemrik neither assumes responsibility for any omissions or errors nor assumes liability for any damages that result from the use of its products in accordance with information provided by Gemrik, either verbal or written. **LIMITATION OF LIABILITY:** The remedies of purchaser set forth herein are exclusive and the total liability of Gemrik with respect to this order, whether based on contract, warranty, negligence, indemnification, strict liability or otherwise, shall not exceed the purchase price of the component upon which liability is based. In no event shall Gemrik, or any of its employees, officers, owners or heirs, be liable for consequential, incidental or special damages.

**GEMRIK - A Veteran Founded Company**