



Experience Makes the Difference

In 1976, LSI Industries forever changed the landscape of retail petroleum lighting. Smart and innovative lighting solutions by LSI became the new industry standard, delivering an unparalleled level of petroleum market knowledge and expertise. LSI has been able to help marketers optimize their lighting to enhance and improve overall brand presence, visibility and image, all in the name of increasing traffic and sales.

Through the years, LSI has ploneered the upgrade philosophy with a number of "firsts" including:


- Reduced installation cost through the use of one-person installation designs
- Reduced maintenance through the use of ground relamping techniques
- Applied retail lighting strategies to the canopy environment with LSI's LED technology
- Improved performance through our UPK kits
- Reduced energy with the Scottsdale® 320-watt pulse-start metal halide canopy lighting fixture
- Maximum visual impact through the use of vertical lamp position in a dropped lens configuration

Today, LSI continues its legacy of innovation and excellence, while pushing the LED technology envelope to greater and greater heights. As a vertically integrated manufacturer, we design and build our products around our value-driven design philosophy. Whether it's building a new site or retrofitting an existing location, LSI has the experience, products, design assistance and service capabilities to put your site in the best possible light.










LSI: Leadership, strength and a legacy of LED technological innovation.

No one knows petroleum lighting like LSI. We've lived it everyday, since 1976. In fact, we've helped define it with arguably the most innovative lighting and graphic solutions in the business. It is our passion for the industry and for creating highly-valued, customer-centric solutions that drives us toward continuous improvement.

Our innovative LED technology is as much an art form as it is an unbelievable achievement in luminaire engineering and design. Our LED fixtures are designed and built around a patented "intelligence platform" - SmartTec™ - to give you unmatched command over your lighting system and the most reliable, energy-efficient and affordable LED lighting solution possible.

We've been invested in LED for more than 25 years, and we're fully committed to taking it to the next level for you! The world of LED is rapidly changing, and we're at the forefront. Industry-wide LED lighting standards are constantly being redefined, so now more than ever, you need a lighting partner you can trust. That partner is LSI. We are leading the charge, and focusing on serving our customers with excellence and quality.













Canopy Lighting Solutions (CRU, CRUS)

When LSI released the Scottsdale® fixture, it set the standard in canopy lighting. LSI renews its commitment to canopy lighting, upon which its reputation was based, through continuous improvements and application of the latest LED technology to retrofits and new construction. We are redefining the industry standards that we set via our LED canopy lighting solutions. Beyond brilliant. Beyond an encore. Trust our Legacy™I

- Purpose Bullt
- Performance Driven
- Stunningly Attractive

The super-sleek, razor-thin LSI LED Legacy canopy fixture is designed to precisely replace the LSI Scottsdale canopy fixture quickly, easily and cost-effectively. Beyond mere beauty, the Legacy can also deliver the highest lumens per dollar and provide the greatest degree of flexibility to light your site. Day or night the Legacy is attractive in all aspects!

Legacy[™] canopy installation is as easy as 1, 2, 3!



The LSI Legacy is designed specifically to replace the LSI Scottsdale - installing quickly into the existing 4" hole without cutting, drilling or caulking. It is simply the fastest, easiest installation in the marketplace.



Building upon the Legacy of the Scottsdale®. Advancing the LED revolution.

Refined. High performance. Unparalleled control.

Characteristics you will not find in any other LED canopy fixture. Designed to express and enhance your image, increase customer traffic, manage energy to reduce consumption and improve operating efficiency. LSI continues to lead the way in canopy lighting innovation unlike any other.

Purpose Built

- One-person Installation fastest, easiest in the marketplace
- **High Performance, Low Cost -** most cost-effective LED canopy fixture in the marketplace


Performance Driven

- **Highest lumen per dollar -** tremendous flexibility in how you light your site
- Choice of lumen packages up to 21,900 lumens
- Better light distribution more illumination on your dispensers
- Designed for utility and/or DLC approval and rebate participation

Stunningly Attractive - Day & Night


- Extremely slim optical unit flush look against the canopy
- Full panel brilliance, properly scaled to your canopy











Recessed Superkit®

Whether you have a 2 x 2 box, recessed fixture or LSI Scottsdale, the Legacy Superkits allow you to upgrade or retrofit your site(s) in a matter of minutes. Upgrade your current canopy lighting today with the LSI Legacy Superkits.

- No modifications, including additional cutting or drilling, of the deck required
- No additional wire harness work necessary
- Quick connect wiring
- Quickest, cleanest installation possible

Legacy[™] CRUK-UNV Superkit Installation



Focus Fixture

LSI's LED Focus fixture is designed to deliver precise beam placement for optimal illumination of vertical surfaces.



LED Focus

With its slim 2" profile and highly efficient optics, the LED Focus is an ideal complement for LSI LED ambient under canopy lighting.

- 30 high-brightness LEDs, 5300K, 70 CRI (nominal)
 - Durable die-formed aluminum housing with independently adjustable extruded aluminum light cartridges.
 Each light cartridge has a glass lens to provide a water-tight seal.
 - 3 banks (cartridges) of LEDs independently adjustable between +/-45% allowing targeted zone illumination – Regardless of light cartridge position luminaire provides cutoff
 - Available for new construction and 2 x 2 or recessed retrofits





Exterior Lighting



LED Solutions for Parking Lot and Transitional Areas

With LSI, you have the convenience of choice and the ability to project the image that best represents your brand. From the progressive to the conservative, you set the aesthetic tone - we ensure the performance. Attractive. State-of-the-art. High performance. Energy-efficient.



Slice

Available in three sizes, with a choice of reflectors and drive currents, Slice LED area lights give you the market's best possible lumens per dollar

- Sleek, low profile Optical assembly is less than 2" thick
- 1-piece housing ensures the optical unit and internal components are protected from contaminants
- Low profile fixture means very low EPAs allowing the use of lighter gauge poles
- High performance
- XLCL over 59.000 lumens
- XLCM over 31,100 lumens
- XLCS over 15,700 lumens
- Up to 119 lumens per watt
- Types FT and 5 distribution
- Types FT-L and FT-R available with XLCM
- 0-10 volt dimming option available with HO drive current



PLCS

The sleek, 1-piece housing ensures the optical unit and internal components are protected from any contaminants. deliver bright, uniform lighting Reduced energy, pole, installation and maintenance costs - all take a slice out of the costs that affect no light trespass. your bottom line.

- Best Possible Lumens Per Dollar
- Low Profile
- PLCS Less Than 2" Thick
- Two Sizes
- SS Over 16,600 Lumens
- HO Over 21,900 Lumens
- Up to 139 Lumens Per Watt
- Distribution Symmetric
- 4000 or 5000K Cool White color temperature
- 0-10 Volt dimming energy saving is standard
- Mounting available in 5 mounting options



XAMU/XASU

Available in two sizes, with a choice of drive currents and reflectors, the XAMU & XASU with reduced high-angle light for low glare and essentially

- Light-weight, low profile
- 1-piece housing ensures optical unit and internal components are protected from contaminants
- Aerodynamic design meets low pole EPA requirements
- High performance
- Designed to IES Model Lighting Ordinance Standard (MLO)
- Over 17,000 lumens
- Up to 101 lumens per watt
- Types 3, FT and 5 distribution
- Energy savings control options available



XGBM

Sporting a conventional fixture design, the XGBM delivers bright uniform lighting with essentially no light trespass.

- Weather-tight die-formed housing
- Tethered top-access housing for ease of installation
- High performance
- Over 31.810 lumens
- Up to 123 lumens per watt
- Types 3, 5, FT and FTA distribution
- Optional color decals



Mirada XALM

The Mirada's sleek design makes it perfectly-suited for architectural applications, while its cost-effective diecast aluminum housing makes its acquisition cost very competitive. The Mirada uses high performance silicone optics, casts 36,000+ lumens.

- Industry-leading photometry through LSI's exclusive new optical system
- Contemporary, sleek, lowprofile styling
- Integral motion Sensor (IMS) Energy Saving Control Option Available



LED Patriot™

With sleek, architectural curves, the Patriot delivers uniform lighting across your parking lot.

- Seamless, aerodynamically designed die-cast housing means lower EPAs, allowing for lighter gauge poles
- High performance
- Over 14800 lumens
- Up to 92 lumens per watt
- Types 3, 5 and FT distribution
- Available in Cool White (5000K), Neutral White (4000K) and Warm White (3500K)



LED Bollards

The XHYP3 architectural bollard features a high-performance, Dual Beam LED optical system for unsurpassed efficiency, control and protection.

- Motion sensors activate switching of fixture light levels
- Available with emergency back-up
- Choose 360 or 180 degree light distribution to best light your transitional areas
- Architectural SSL Magazine Product Innovation Award (PIA) Winner



LED Inground

The XIG direct-burial LED fixture is designed for uplighting building architecture and landscape features at only 22 input watts.

- Optimized beam control distributes 90% of generated light into desired beam pattern
- Available with Spot, Narrow Flood and Flood reflector options
- Optics can be tilted +/- 15 degree via external aiming screws

Wall Mount and Building Mount Lighting Solutions

Complement your area and canopy lighting with LSI wall mount luminaires designed to deliver optimum illumination and an increased sense of safety and security.





Soffit

LSI offers a variety of LED solutions to light soffit areas for both new construction and retrofit projects. Depending upon your soffit ceiling structure environment at lower light and lighting requirements, you can get outstanding illumination while using considerably less energy than a standard HID fixture.

Wall Pack

Choose from a number of LED wall pack fixtures that deliver exceptional uniformity with full cutoff to create a brighter levels for entrance, egress and security lighting requirements. Choose from architectural designs to value specifications to meet your requirements.



Linear Wall Wash & Fascia

The Linear Wall Wash (LWW) and Fascia (LWF) products are designed for seamless continuous row mounting. Brilliant high lumen LEDs produce about 250 lumens at 5.5 watts per foot. The LWW is a highly dramatic and efficient means of interior or exterior wall illumination. The LWF delivers vivid face lighting from above the top of the fascia.



Surface Mount

The Legacy Surface Mount gives you the same performance and energy savings as the Legacy canopy fixtures. Designed for applications where mounting and servicing requirements demand access from below the fixture, it is offered in two sizes with up to 21,900 lumens. The CRU & CRUS are ideal for illuminating open spaces with mounting heights of 12' or greater.







Interior Ambient Lighting Solutions



Creating an enticing, comfortable environment for your customers helps to invite them into the store, improve their shopping experience and keeps them coming back.



LPASC

The LED LPASC is a low profile recessed direct/indirect troffer that delivers even illumination throughout the space. Its minimal design (2-1/2" depth) makes it ideal for those tight spaces.

- Available in 2' x 4', 2' x 2' and 1' x 4' sizes
- Choice of 18 lumen outputs up to 5034
- Up to 120 lumens per watt (1 x 4)
- Frosted extruded acrylic lens with micro prisms for maximum diffusion, even illumination (1 x 4)
- Minimum diode visibility
- Available with AirLink™ wireless controls

AirLink"



Triumph™

The LED Triumph is a specification grade recessed troffer that delivers even illumination and provides maximum visual comfort. The clean lines offer a unique design that is perfect for any setting.

- Available in 2' x 2' and 2' x 4' sizes
- Multiple lumen outputs 2,300- 9,300 lumens
- Up to 110 lumens per watt
- 0-10V Dimming Driver Standard (1% - 100%)
- High Transmission Opal Lens Eliminates Bright Spots and Provides High Vertical Illumination and Visual Comfort.
- Available with AirLink™ wireless controls

Ai̇́rLink™



LPEC

LSI's LPEC fixture's low profile design makes it ideal for shallow plenum applications. This direct/indirect fixture delivers even illumination with excellent, low angle brightness control throughout the space.

- Available in 2' x 2', 2' x 4' and 1' x 4' sizes
- High lumen output up to 6871 lumens
- Up to 115 lumens per watt (2 x 4)
- Smooth full-radius, high transmittance acrylic lens
- Minimal diode visibility
- Available with AirLink™ wireless controls

AirLink



ELFP

The LED ELFP is a lay-in panel light that provides balanced illumination from the sides of the fixture with no visible light source. Fixtures are suitable for use in Offices, Retail Locations, Healthcare Facilities, Schools or any applications where even illumination is desired.

- Available in 2' x 2', 2' x 4' and 1' x 4' sizes
- 0-10V Dimming is standard; 10%
 100%
- Available in 3000K, 3500K, 4000K, and 5000K color temperatures
- Laser etched PMMA light guide for uniform lighting



SLI

The SLI is an indirect fixture featuring a unique side-lit design which provides balanced illumination and high angle light.

- Available in 2x2 and 2x4 sizes
- Choice of 12 lumen outputs to 6012
- Up to 108 lumens per watt (2 x 4)
- Open cavity / no lens to trap dirt or insects
- Available with AirLink™ wireless controls

AirLink®



GA

The LED GA is a high efficiency, high performance troffer. Its low profile housing (3 1/4 "deep) makes it ideal for tight plenums.

- Available in 2' x 4', 2' x 2' and 1' x 4' sizes
- Choice of lumen outputs up to 9474
- Up to 117 lumens per watt (2 x 4)
- Full prismatic P12 lens
- Available in Cool White (5000K), Neutral White (4000K) and Warm White (3500K)



mounting options, light output and aiming abilities for the look you want.

Wall Wash & Accent Solutions

Optimize your interior space by complementing your ambient lighting with the appropriate wall wash or accent lighting. Whether you are lighting graphics or washing vertical surfaces with light, LSI has a variety of fixtures for these applications. Choose from a wide array of

DW

The DW is a small-sized dome wrap - surface/pendant mount with a rounded lens for unique appearance, and with a flexible lens that allows for easy access to install and service in small spaces.

- Available in 4' and 8'
- Ballast cover held in place with quarter turn fasteners for easy access.
- Available in Cool White (5000K), Neutral White (4000K) and Warm White (3500K)



CIRUS

The CIRUS LED retail lighting fixture created for higher ceiling applications of 16 feet or more, and 2 x 2 recessed ceilings.

- Available with both clear and diffused flat tempered glass lens
- Choice of lumen packages up to 21,900 lumens
- Installs quickly into grid, drywall or plaster ceilings
- 5000K or 4000K color temperatures available

LSI Control Solutions



AUL/AUM

Aureus (AUM/AUL) LED High Bay / Low Bay fixtures. Excellent ambient lighting with a symmetrical distribution that delivers horizontal & vertical uniformity, glare control, and visual illumination, full cutoff and comfort. Designed as a direct replacement for 250W-400W HID fixtures.

- Choice of Lumens Up to 23,923
- Multiple mounting options and housing finish colors
- Recommended uses include commercial, retail, restaurant, and convenience store applications
- cULus, ARRA Funding Compliant, and RoHS
- Dimming option available



XPG3

The XPG3 fixture gives you the perfect combination of low energy consumption and high lumen output. It delivers uniform lighting with vertical low glare.

- Choice of lumens up to 10,712 lumens
- Types 5 and S distribution
- 5300K (cool white) and 4100K (neutral white) color temperatures.
- Surface or pendant mount



EG3

With its vaportight design and reinforced fiberglass housing, the LED EG3 fixture is ideal for utility, backroom and cooler applications. The proprietary high-impact acrylic lens provides high lumen output with soft, reduced brightness.

- 4' and 8'
- Choice of lumens up to 7146 lumens
- Certified NSF (ANSI Standard 2). IP65. IP66. IP67. NEMA 4X. High Pressure Hose Down (1500 PSI)



Decorative Indoor

Distinctively styled, LSI offers decorative LED fixtures to complement traditional and progressive design schemes. Featuring high performance LED optics housed in traditional and contemporary housings, you have a number of choices for your lighting requirements.

- A variety of styles, finished and mounting options
- Excellent performance

Using LSI Control Solutions, you will save on energy costs by using only the light you want when and where you need it. You have the ability to dim your lighting and customize your settings so your lights can be set to noticeably jump to 100% when someone enters your lot after hours. The LSI Controls division can also help customers develop custom tools to meet specific requirements.

In addition to exterior lighting controls, LSI offers interior controls that provide energy saving by switching lights off or dimming them during non-operating hours.

LSI Control Solutions Provide:

- Reduced energy
- Right light at the right time
- Green messaging
- Increased security



Wireless Controls

- Applications: Parking lot, canopy, signage, service bays, showrooms
- Switching and dimming of virtually any exterior or interior fixture
- Switch or dim according to schedule, motion or ambient light conditions
- Comprehensive reporting and status alerts
- Factory installed controllers in many LSI fixtures



Commercial Lighting Control Panels



- Up to 24 branch circuits
- Switch inputs from low voltage switches, sensors, and photocells
- Built-in Holiday Schedules
- Astronomical Clock



Title 24/ASHRAE 90.1-2013 Controls

- restrooms, break rooms, conference rooms, storage rooms, hallways
- Passive Infrared, Ultrasonic, and Multi-Tech
- Multiple Coverage Options up to 2,000 sq. ft.
- Occupancy or Vacancy Options

Air Link Controlled Lighting

LSI AirLink™ is a new family of controlled LED luminaires featuring integrated Lutrono Clear Connect™ Wireless Technology for new construction and retrofit applications, including use in a variety of buildings and infrastructures.

Integrated motion and light level sensors ensure maximum energy savings, quality and comfort, while wireless controls enable occupants to easily operate Individual or groups of fixtures. AirLink™ boasts easy and fast installation, quick setup and can be used to meet stringent energy code requirements and support LEED certification.



Origin™ Downlights & Track Lights





LSI's Origin™ brand Downlights for commercial and architectural applications are energy-saving solutions with great color rendering. Perfect for retail. LSI's small aperture lighting fixture choices focus attention on your products, rather than on the fixture.



Cylinder

LSI's Origin™ brand cylinder luminaires are great for highlighting sidewalks and buildings. They are available in a small, attractive envelope that does not distract from the building and are IP65 for wet locations. Fixtures feature a dimmable option.



Multiple Cluster

Our Origin™ flangeless trim multiple cluster fixture option makes the fixture look as if it's a part of the ceiling. Adjustable heads allows you to direct light where you need it most. Multiple color temperatures are available to fit many applications. 4' and 8'



Track

LSI's Origin™ track lighting enjoys nearly unlimited uses, such as highlighting displays and menu boards. They can also be used to wash walls. Available in white or black to blend into your ceiling. Origin™ track lights are perfect for retail areas.

Exit Emergency / Life Safety Lighting

LSI offers a wide range of LED Life Safety egress fixtures designed to meet facility safety codes. Life Safety fixtures are cost-effective to install, tested and engineered for maximum reliability when you need it most.















LSI Graphics and Digital Technology Solutions

LSI is an experienced leader in visual image solutions providing custom graphics, décor, displays, digital technologies and implementation services for complete image programs that fit and enhance the unique environments of our customers.

Create a remarkable automotive showroom experience with LSI's integrated digital signage systems, which offer opportunities for entertainment and information sharing as well as data collection and event triggers that can serve as integral tools in the engagement and pursuit of car buyers, including:

- Advanced display, messaging and interactive technology
- Mobile device integration
- Smartvision® LED indoor/ outdoor video displays

LSI Graphic Solutions integrates lighting, graphics and technology to engage, guide and connect. Ask your LSI representative about new, custom architectural fixtures and fixtures with integrated signage & graphics.









Leadership. Strength. Innovation. These attributes have shaped LSI's corporate culture for 40 years and continue to motivate LSI and its employees to achieve greatness. LSI Industries is "The IMAGE Company." We are dedicated to enhancing the images of our customers through our unique ability to provide lighting, graphic and technology solutions to our customers.





www.lsi-industries.com

10000 Alliance Road Cincinnati, Ohio 45242

Phone 513.793.3200 Fax 866.316.7126







